

25
YEARS

Stilo

2025

Page 3

STILO MILESTONE TIMELINE

Page 6

RALLY

▶ VENTI WRC Range	8
▶ VENTI4 Range	9
▶ VENTI TROPHY Range	10
▶ SPORT Range	11
▶ ST6R Range	12
▶ ST5R Range	13
▶ ACCESSORIES	14
▶ VENTI WRX DIRT Range	15
▶ VENTI WRX RAID Range	16
▶ VENTI WRX ACCESSORIES	17
▶ COMMUNICATION ACCESSORIES	18
▶ COMPARISON CHART	19
▶ WIRELESS COMMUNICATION	21
▶ DIGITAL COMMUNICATION	23
▶ ANALOGIC COMMUNICATION	26
▶ INTERCOMS COMPATIBILITY	27

Page 28

RACING

▶ ST6FN ABP Range	30
▶ ST6FN Range	31
▶ ST6F Range	32
▶ ST6 GT Range	33
▶ ST6 GTN Range	34
▶ ST5FN / ST5 GTN Range	35
▶ ST5F / ST5 GT Range	36
▶ VENTI / VENTI4 WRC TURISMO Range	37
▶ VENTI WRX TURISMO Range	38
▶ COMPARISON CHART	40
▶ ST6 ACCESSORIES	43
▶ ST5 ACCESSORIES	44
▶ ST6 / ST5 ACCESSORIES	45
▶ ELECTRONIC KITS	48
▶ TRACK COMMUNICATION	49
▶ HEAD & NECK RESTRAINTS	51

Page 53

KARTING

▶ ST5 CMR CARBON Range	55
▶ ST5 CMR Range	56
▶ ST5FN KRT Range & COMPARISON CHART	57
▶ RIB & CHEST PROTECTORS	58
▶ ACCESSORIES	59

Page 60

OFFSHORE

▶ OFFSHORE Range	61
▶ INTERCOMS & COMPARISON CHART	62

STILO MILESTONES TIMELINE



2024

- Dakar winner with Carlos Sainz 19th Dakar title
- Felipe Nasr wins Daytona Rolex 24H
- New Headquarter over 5000 mq engineering carbon/composite prod. and the whole manufacturing in the same place
- Launch of the ST6 and VENTI4 range fully homologated FIA8859-2024 and FIA8860-2018

- Launch of the first ABP 8859 rated helmet in the world: ST6 Carbon ABP
- New full digital intercom: DG20
- Stilo becomes the exclusive distributor of Hans and Hybrid for Europe and Middle East
- Launch of the new HANS IV

2023

- 19th WRC title in a row with Kalle Rovanperä and Jonne Halttunen signing their 2th WRC title
- Launch New WRX, innovative helmet concept, offering the full-face protection and all the advantages of the open-face helmets
- 18th Dakar title with Nasser Al-Attiyah and Mathieu Baumel
- Official Team Supplier to Aston Martin F1
- Gabriel Bortoleto is FIA F3 Champion
- Christian Rasmussen wins INDY NXT title

2022

- Felipe Drugovich is Formula 2 Champion
- Nyck De Vries debuts in the FIA Formula 1 Championship with the Aston Martin F1 and adds up to Valtteri Bottas - Alfa Romeo ORLEN F1 Team and Lance Stroll - Aston Martin F1 Team
- 18th WRC title in a row with Kalle Rovanperä and Jonne Halttunen signing their 1th WRC title
- Official Team Supplier to TGR Motorsport in the WRC, winners of the WRC
- Dakar winners with Nasser Al-Attiyah and Mathieu Baumel

2021

- Launch of the new Venti WRC open face helmet range
- 17th WRC title in a row with Ogier and Ingrassia signing their 8th title
- Nyck De Vries becomes World Champion winning Formula E
- Stilo presents the Wireless communication technology in rallying
- Stilo and Simpson join The Holley Group, listed in the NY stock exchange

2020

- Stilo wins the 16th WRC title in a row with Ogier and Ingrassia celebrating the 7th WRC title

2019

- Stilo becomes Official Team Supplier to Mercedes-AMG Petronas Motorsport in the FIA Formula 1 Championship
- Stilo is Official Helmet Supplier to Porsche Motorsport
- 1st WRC title for Ott Tanak and Tommi Makinen. 15th in a row for Stilo
- Stilo is Hyundai Motorsport Racing Official Supplier
- Nyck De Vries is Formula 2 Champion
- New ST5 CMR with the extra-small shell for the karting range

2018

- ST5 Zero VB is the first FIA 8860-2018 certified helmet and Valtteri Bottas is the world first driver to wear a FIA 8860-2018 ABP helmet during the Spa GP
- WRC DES, ST5, ST5 ABP: the whole range updates to the new FIA 8860-2018 standard
- Filipe Albuquerque wins Daytona Rolex 24H

2017

- In Formula 1 with Valtteri Bottas Mercedes F1 Team and Jolyon Palmer Renault F1 Team
- Earl Bamber wins the 24h of Le Mans and the WEC title with Porsche LMP1
- 5th WRC title for Sébastien Ogier and the 13th title in row for Stilo

2016

- Stilo becomes part of the Simpson Group based in the US
- Romain Dumas wins the 24h of Le Mans and the WEC title with Porsche LMP1
- Jimmie Johnson won NASCAR Sprint Cup Series
- 4th WRC title won with Sébastien Ogier

2015

- Stilo debuts in F1
- Stilo wins the 24h of Le Mans with Porsche - LMP1

2014

- Birth of ST5, the benchmark in full-face helmets
- DG30, DG10 the world's first rally intercoms with noise digital active cancellation

2013

- Stilo develops the world first rally intercom that debuts with Volkswagen winning the World Rally Championship with Sébastien Ogier

2012

- Stilo into the Rally Legend: eight World Champion title won with Sébastien Loeb
- Stilo wins the GP2 main series with Davide Valsecchi

2011

- Stilo designs ST4 Zero and WRC DES Zero, world's lightest FIA 8860 certified helmets.
- Verbacom launch: the very first communication system for racing with Bluetooth technology

2010

- Launch of the WRC DES, world's first FIA8860-2004 certified open-face helmet
- Launch of the ST30-DES, world's first rally intercom with Bluetooth technology for mobile telephones connection

2009

- Stilo develops ST-30, the world's first intercom featuring 2 circuits, one in use and one for backup
- First World Touring Car Championship victory with Gabriele Tarquini

2008

- Birth of the ST4: Stilo professional helmet for racing

2005

- First World Rally Championship victory with Sébastien Loeb

2004

- Debut in the WRC with Gilles Panizzi
- First Dakar Rally victory with Stéphane Peterhansel

2003

- First company worldwide to create a Bluetooth intercom for motorbikes

2000

- Origin of the WRC, the world's first open-face helmet

1999

- Foundation

WHY STILO?

The name Stilo comes from the tool used in the Bronze Age to write, to imprint their first thoughts, their first ideas, their first concepts. In time the word "stilo" evolved in "style", that is the way each person uses a stilo: your own style. And our style is that of making products that leave a mark, exactly like a stilo in our ancestors wax boards.

OUR PHILOSOPHY

Top functionality. Everything a driver needs must be standard feature: intercom, connections, earmuffs, drinking system, etc.

The engine at Stilo is fueled by the constant search for innovation through the highest technologies and a passion for motorsport. A helmet is part of the safety equipment to the driver and is meant to be as safe as possible in the first place but it can be something more: an element of performance.

Stilo helmets are designed, developed, prototyped, tested and produced in Italy with a KM 0 philosophy, **100% made in Italy**.

Starting from the driver's needs in the motorsport racing activities, Stilo **Research and Development** Department combines the **know-how** built from experience with the use of **aerodynamics materials** and the most **advanced technologies**, creating new projects and working to never stop evolving. Highly qualified personnel work in Stilo **internal laboratory** and our **carbon shop** to make prototypes, crash tests and pre-series production following strict procedures.



Each Stilo helmet is **fully hand-made** in Bergamo, starting from the shell and all the way down to the labelling of the helmet before shipping. Every step of the production procedures is prepared with the utmost care and strict **quality controls** are in place during the whole process. All of this to offer the safest helmets, with accessories, features and functionalities that make sure our products are a perfect fit for each seat.



stilo NEW 2025

VENTI4

Pages
9/37/61



ST6

Pages
12/30/61



DG-20



Page 24

HANS IV



Page 51

RALLY

RANGE

WRC CHAMPIONS
FOR 19 TIMES
IN A ROW



Partner of TOYOTA GAZOO RACING WORLD RALLY TEAM 2024

Page 8 VENTI WRC RANGE

Page 9 VENTI4 RANGE

Page 10 VENTI TROPHY RANGE

Page 11 VENTI SPORT RANGE

Page 12 ST6R RANGE

Page 13 ST5R RANGE

Page 14 ACCESSORIES

Page 15 VENTI WRX DIRT RANGE

Page 16 VENTI WRX RAID RANGE

Page 17 VENTI WRX ACCESSORIES

Page 18 COMMUNICATION ACCESSORIES

Page 19 COMPARISON CHART

Page 21 WIRELESS COMMUNICATION

Page 23 DIGITAL COMMUNICATION

Page 26 ANALOGIC COMMUNICATION

Page 27 INTERCOMS COMPATIBILITY

VENTI WRC

WRC CHAMPIONS
FOR 19 TIMES
IN A ROW

PURO technology for all carbon shells

Size mix in 3 shells

Microphone and boom shaped to
enhance voice quality

Recessed side port for a cleaner
look and plug protection

Compatible with WIRELESS
and WIRED intercom connections *

*
INTERCOM
CONNECTION



ZERO 8860

PURO
TECH



8860

PURO
TECH

VENTI4

NEW

YEARS

2



ADJUSTABLE PEAK



ADJUSTABLE SHORT VISOR



Top ventilation holes to reduce sweat, and moisture and allow the use of the Top Air System

The lightest composite helmet. New COMPOSITE production process based on Zero technology

Further improved comfort with brand new interior paddings

Advanced technology for improved sound insulation

Adjustable microphone *



* ADJUSTABLE MICROPHONE



CARBON



COMPOSITE



— Helmet color

— Interior color

FIA8859-2024
SNELL SA2020

VENTI TROPHY

RALLY

Shell structure in MSF (Multi Sandwich Fibers) with Kevlar reinforcements

Adjustable peak

Size mix in 3 shells

Plus Version Only: Compatible with WIRELESS and WIRED WRC intercom connections

Top ventilation holes to reduce sweat, and moisture and allow the use of the Top Air System

Available in silver or white outer

Adjustable short visor (Optional)

Further increased comfort with brand new interior paddings



PLUS



— Helmet color
— Interior color



RALLY



— Helmet color
— Interior color



JET



— Helmet color
— Interior color

100% Made in Italy

Appealing design with white shell and white peak

Both versions with Hans Posts Anchors

Excellent mix of price, quality, innovation and electronics

Shell structure in MSF (multi Sandwich Fibers) with Kevlar reinforcements

Adjustable peak and short visor

Available in 2 versions with and without electronic kit

Compatible with wired WRC and DG Intercom



PLUS



— Helmet color
— Interior color



JET



— Helmet color
— Interior color

ST6R

NEW

Top Ventilation holes to reduce sweat and moisture

Integrated speakers with adjustable noise reduction earmuffs

Adjustable microphone

Full range now compatible with WIRELESS intercom

New size mix in 3 shells to fit the driver's head in the smaller and lighter shell possible

Short sunscreen visor available as an option

NEW CHEEK comfort padding designed for better fitting. Improved cheek stability

Increased downwards field of view (also compared to ST5)



FIA 8860-2018



ZERO 8860



8860



FIA8859-2024
SNELL SA2020



CARBON



COMPOSITE



— Helmet color

— Interior color



Top ventilation holes to reduce sweat and moisture allowing the use of Stilo Top Air Systems

Integrated speakers with adjustable noise reduction earmuffs

Carbon range compatible with WIRELESS intercoms

The widest size range: from XS54 to 3XL 64

Short visors and peak available as optional *

Wider view field for a better vision


Adjustable microphone



CARBON



COMPOSITE



— Helmet color
— Interior color

SHORT VISORS VENT14 & VENTI / VENTI TROPHY / SPORT



YA0229	Yellow	YA0241	Mirror Blue Dark
YA0230	Smoked Dark	YA0266	Clear
YA0240	Silver Dark	YA0709	Mirror Red Light

PEAKS VENT14 & VENTI / VENTI TROPHY



YA0268	Silver	YA0116	Black
YA0273	White	YA0311	Titanium
YA0278	Matt Black	YA0312	Orange

CARBON PEAKS VENT14 & VENTI / ST5R



YA0269 Venti Carbon
YA0270 Venti Zero
and 8860

YA0862 ST5R Carbon
YA0863 ST5R Zero
and 8860



PEAKS FITTING KIT


VENT14 & VENTI / VENTI TROPHY / SPORT



YA0114 VENT14 & VENTI / VENTI TROPHY
YA0865 ST5R
YA0865B/R/G ST5R Blue/Red/Gold

PEAKS + VISORS FITTING KIT

VENT14 & VENTI / VENTI TROPHY / SPORT



YA0242 VENT14 & VENTI / VENTI TROPHY
YA0864 ST5R


SHORT VISORS OR SUNSCREEN FITTING KIT

ST6R / ST5R



YA0926 Silver
YA0926B Blue
YA0926G Gold
YA0926R Red

SHORT VISORS ST6R / ST5R



ST6 YA0919 Mirror Blue Dark
YA0920 Mirror Red Dark
YA0921 Mirror Yellow Dark

YA0922 Silver Dark
YA0923 Smoked Dark

ST5 YA0836 Mirror Blue Dark
YA0837.2 Mirror Red Dark
YA0838.2 Mirror Yellow Dark

YA0854 Silver Dark
YA0891 Smoked Dark

SUNSCREEN ST6R / ST5R



YA0924 Sunscreen ST6R
YA0816 Sunscreen ST5R

PEAK SPORT



YA0155 White

SPARE INTERCOM KIT SPORT



AE0112

SPARE INTERCOM KITS



AE0228 Venti WRC Zero / 8860
AE0226 Venti WRC Carbon / Composite
ST5R Zero / 8860 / Carbon
ST6R all range



AE0121 Venti Trophy Plus / Jet



AE0210 ST5R Composite



AE0111 Venti Trophy Rally
Venti Trophy Jet

VENTI WRX DIRT

RALLY

YEARS
2

Specific versions for open vehicles

Perfect fitted for extreme conditions


Full face protection certified and maximum view field

Communication kit with ear cups and integrated speakers

Sealed full visor



VENTI WRX



+34% VISOR OPENING COMPARED TO ST5 RANGE



ST5 R



DIRT ZERO 8860



DIRT CARBON



FIA 8860-2018

FIA 8859-2015 SNELL SA2020

VENTI WRX RAID

RALLY



Specific versions for closed vehicles

Top ventilation holes to reduce sweat moisture and allow the use of the short Top Air System

Adjustable peak and short visor available

The whole range in PURO technology

Side Air and Drinking System available



RAID ZERO 8860



RAID CARBON



FIA 8860-2018

FIA 8859-2015 SNELL SA2020

FULL VISORS



- YA0279 - YA0279DG Clear
 YA0284 - YA0284DG Mirror Blue Medium
 YA0285 - YA0285DG Mirror Red Dark
 YA0310 Package with 5 single tear-off film
 YA0313-CP Package (10 tear-off films stuck together),
 3 pieces kit. With perimeter seal.
- YA0286 - YA0286DG Mirror Yellow Dark
 YA0287 - YA0287DG Silver Dark
 YA0288 - YA0288DG Smoked Dark

SHORT VISORS



- YA0295 Mirror Blue Medium
 YA0291 Mirror Red Medium
 YA0292 Mirror Yellow Dark
- YA0293 Mirror Dark
 YA0294 Smoked Dark

FULL VISORS FITTING KIT



- YA0817 Silver
 YA0817G Gold
 YA0817B Blue
 YA0817R Red

FITTING KITS

- YA0299 Peak Fitting Kit
 YA0298 Short Peak + Short Visor
 Long Peak + Long Visor

CARBON PEAKS



YA0281
Zero 8860

YA0280
Carbon

YA0283
Zero 8860
Extended Peak

YA0282
Carbon Extended
Peak

DRINKING SYSTEM



YA0600

HELMET SKIRT



YA0289

SHORT MODULAR TOP AIR KITS



YA0892
Modular short top air
with main adapter.
To be used with YA0895 or YA0896



YA0896
Modular straight fitting
with Ø 32mm connection.
Compatible with
Maglock® connector



YA0895
Modular 90° angled fitting
with Ø 32mm connection.
Compatible with
Maglock® connector

SHORT TOP AIR KITS



YA0889
Top Air System
with oval connector



YA0897
Top Air System
with smaller round
connector



OPEN-FACE KIT WITH EARMUFFS



AE0104
WRC intercom kit for open-face helmets with earmuffs

FULL-FACE KIT WITH EARMUFFS



AE0105
WRC intercom kit for full-face helmets with earmuffs

ADAPTERS



AC0204.2
Stilo WRC helmet to Peltor intercom (or similar)



AC0200
Stilo WRC intercom to Peltor helmet (or similar)

POWER SUPPLY



YB0100
12 volt power supply

OPEN-FACE KITS



AE0103
WRC intercom kit for open-face helmets

FULL-FACE KITS



AE0102
WRC intercom kit for full-face helmets



AC0100.2
Stilo Trophy Rally helmet to Terraphone intercom



AC0101.2
Stilo Trophy intercom to Terraphone helmet



YY0030
Isolating filter for DG-10 intercom (1 in / 2 out RCA)

WIRING CONNECTIONS



Intercom to helmet extension cable
YB0317.2 0,45 mt coil incl.
YB0319.2 0,21 mt no coil
YB0307.2 2,5 mt coil incl.



Stilo helmet to phone 3,5 mm jack
YB0311



Intercom to 3,5 mm jack camera connection
YB0312

EMERGENCY KIT



YA0001
Spare electronics kit: it is like carrying a spare helmet in the co-driver bag

TROPHY

AE0100
TROPHY intercom kit for full-face helmets

HEADSETS



AD0210
Excellent noise protection, maximum comfort, "flex" boom, no joints. WRC intercom connection






AD0110
Excellent noise protection, maximum comfort, "flex" boom, no joints. TROPHY intercom connection



YA0212
Spare hygienic kit for AD0210 and AD0110 headsets

VENTI WRC

VERSION		
	ZERO 8860	8860
	AA0220BG3R Hans	AA0220BG1R Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON
	WEIGHT small 1.190 g* medium 1.220 g*	WEIGHT small 1.330 g* medium 1.380 g* large 1.510 g*
SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	
INTERCOM AEO226 - Pro WL and Wired	INTERCOM AEO226 - Pro WL and Wired	
COLORS 	COLORS 	







VENTI4

VERSION		
	CARBON	COMPOSITE
	AA0224BG1V Hans	AA0224BG2V Hans
	HOMOLOGATION FIA 8859-2024 SNELL SA2020	HOMOLOGATION FIA 8859-2024 SNELL SA2020
	MATERIAL NORMAL TENSILE CARBON	MATERIAL MSP MULTI SANDWICH PRE-PREG FIBER
	WEIGHT small 1.120 g* medium 1.260 g* large 1.360 g*	WEIGHT small 1.370 g* medium 1.500 g* large 1.580 g*
SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	
INTERCOM AEO226 WL and Wired	INTERCOM AEO226 WL and Wired	
COLORS 	COLORS 	

*Communication kit included, M6 ready. ± 30 g

*M6 ready. ± 30 g

VENTI TROPHY

VERSION			
	PLUS	RALLY	JET
	AA0112EG2T Hans	AA0112DF2T AA0112DG2T Hans	AA0112AF2T AA0112AG2T Hans
	HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL FIBERGLASS KEVLAR MSP MULTI SANDWICH FIBER	MATERIAL FIBERGLASS KEVLAR MSP MULTI SANDWICH FIBER	MATERIAL FIBERGLASS KEVLAR MSP MULTI SANDWICH FIBER
	WEIGHT small 1.450 g* medium 1.510 g* large 1.590 g*	WEIGHT small 1.385 g* medium 1.445 g* large 1.525 g*	WEIGHT small 1.310 g** medium 1.360 g** large 1.440 g**
SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	
INTERCOM AEO121 WL and Wired	INTERCOM AEO111 Wired	INTERCOM --	
COLORS 	COLORS 	COLORS 	

SPORT







VERSION		
	PLUS	JET
	AA0132HG2T Hans	AA0132AG2T Hans
	HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL FIBERGLASS KEVLAR MSP MULTI SANDWICH FIBER	MATERIAL FIBERGLASS KEVLAR MSP MULTI SANDWICH FIBER
	WEIGHT small 1.430 g* large 1.570 g*	WEIGHT small 1.350 g large 1.490 g
SIZE small XS 54, S 55, M 57 large L 59, XL 61	SIZE small XS 54, S 55, M 57 large L 59, XL 61	
INTERCOM AEO112 Wired	INTERCOM --	
COLORS 	COLORS 	

*Communication kit included, M6 ready. ± 30 g

**M6 ready. ± 30 g













*Communication kit included, M6 ready. ± 30 g

VENTI WRX

VERSION				
	RAID ZERO 8860	DIRT ZERO 8860	RAID CARBON	DIRT CARBON
	AA0232BG3R Hans	AA0230BG3R Hans	AA0232BG1T Hans	AA0230BG1T Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL HIGH TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON
	WEIGHT small 1.300 g* medium 1.430 g* large 1.510 g*	WEIGHT small 1.400 g* medium 1.530 g* large 1.610 g*	WEIGHT small 1.250 g* medium 1.370 g* large 1.460 g*	WEIGHT small 1.340 g* medium 1.480 g* large 1.570 g*
	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
	INTERCOM AEO228 PRO WL and WIRED	INTERCOM AEO228 PRO WL and WIRED	INTERCOM AEO226 WL and WIRED	INTERCOM AEO226 WL and WIRED
	COLORS 	COLORS 	COLORS 	COLORS 

*Communication kit included, M6 ready. ± 30 g

ST6R

VERSION					VERSION		
	ZERO 8860	8860	CARBON	COMPOSITE		CARBON	COMPOSITE
	AA0801RG3R Hans	AA0801RG1R Hans	AA0801RG1V Hans	AA0801RG2V Hans		AA0701RG1Tsz-00CC Hans	AA0701BG2T Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859-2024 SNELL SA2020	HOMOLOGATION FIA 8859-2024 SNELL SA2020		HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL MSP MULTI SANDWICH PRE-FREG FIBER		MATERIAL NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
	WEIGHT VB 1.240 g* small 1.310 g* medium 1.420 g* large 1.500 g*	WEIGHT small 1.410 g* medium 1.530 g* large 1.570 g*	WEIGHT small 1.230 g* medium 1.380 g* large 1.470 g*	WEIGHT small 1.420 g* medium 1.540 g* large 1.650 g*		WEIGHT small 1.360 g* large 1.510 g*	WEIGHT small 1.590 g* large 1.700 g*
	SIZE xsmall XS 54, S 55, S 56 small M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64		SIZE small XS 54, S 55 M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55 M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
	INTERCOM AEO226 WL and WIRED	INTERCOM AEO226 WL and WIRED	INTERCOM AEO226 WL and WIRED	INTERCOM AEO226 WL and WIRED		INTERCOM AEO226 WL and WIRED	INTERCOM AEO210 WIRED
	COLORS 	COLORS 	COLORS 	COLORS 		COLORS 	COLORS 

*M6 ready. ± 30 g

*Communication kit included, M6 ready. ± 30 g

WL-10 Wireless Intercom is the next step in rally intercom technology as connection, as the name describes, is now completely wireless with the crew's helmets. Based on the world's active digital noise-cancelling Stilo DG10 intercom, the WL-10 Wireless has had a few more improvements making this the ultimate in motorsport communications and the world's first wireless intercom for rallying. Design and functionalities have been fine-tuned, making this the best noise-cancelling intercom on the market. An additional extra is a wireless headset for use on-road sections.



Shaped to be perfectly integrated with the geometry of the helmet



To be plugged directly to the side port of the helmet



Power and volume controls




WL-KEY AG0001
WIRELESS

The Wireless helmet keys and headsets have their own battery which when fully charged has enough power to allow up to 5 hours of continuous talk time. Charging of these items is through a USB plug. These keys have been designed to plug directly into the Venti WRC, Venti Trophy Plus and ST5R WL helmets.


HOW IT WORKS

The helmet key is plugged into the helmet side port and paired with the intercom, allowing the connection to work up to a 10 metres distance, this allowing the crew to exit the car with their helmets on and still talk to each other. Powered from the car's 12 volt supply the biggest change in this intercom is the Wireless functionality allowing you to drop the connection cables with the crew's helmet.



- Keyboard with all the features of our DG 10 intercom
- No cables to the helmets

WL-10 AB0520
WIRELESS



AG0001
The bundle includes
1 WL-10 intercom (AB0520)
and 2 wireless helmet keys
WL-KEY (AG0001)
paired and ready to use



AD0225
Wireless headsets
for use on-road sections



The WL-10 features 1 output for the crew's communications to a camera system and 1 input for a radio interface.

CG0020 Radio interface for for WL-10 - Universal
CG0021 Radio interface for for WL-10
Prepared for connections with radio cables (YD0202 to YD0211)
PTT cable YC0011 included

Stilo DG-30 EVO: the ultimate digital intercom for professionals

The DG-30 EVO, an evolution of the DG-30 (the world first digital intercom and winner of several world titles in the WRC championship) marks a significant improvement in the performances. The Active Digital Noise Cancelling EVO filters, with independent settings for driver and co-driver, allow an impeccable communication even in the most extreme conditions. Designed for professionals, the DG-30 EVO offers top level performances and advanced features, keeping the highest control and customization for a perfect communication. With the possibility of choosing between different noise cancelling modes and customized audio settings, the DG-30 EVO guarantees the highest quality in the communication. Equipped with an ergonomic remote control panel and with an analogical backup system, the DG-30 EVO offers professional level performances, always ready for any challenge.

DG-30 EVO



MAIN UNIT



REMOTE CONTROL PANEL

AB0606
DG - 30 EVO
Bluetooth Remote
control panel and
main unit

- Active Digital Noise Cancelling EVO with real time elaboration
- Dual digital filter with independent settings for Driver and Co-Driver
- Integrated Bluetooth for mobile phone connection (audio link)
- Remote Control Panel: Easy-to-use ergonomic control panel designed for efficient system settings
- Control via CAN-BUS directly from the dashboard (with no need for the control panel)
- Two separate intercom circuits built inside the main unit, one main digital system and a spare analogue circuit that can instantly be activated with a simple switch.
- Adjustable voice pitch (EQ button) and separate noise cancelling modes (DIG button), to improve communication in cars with all noise levels
- Camera and radio connection



YB0600.2
Helmets connection
cable (not included)



YB0317.2
45 cm (coil included)
Extension cable recommended
for AB0200, AB0500, AB0214, AB0600

Stilo DG-20: the evolution of excellence in the noise cancellation

Based on the experience of DG-10, the most appreciated Stilo intercom in the market, the new DG-20 intercom represents a firm step forward in the performances. Thanks to a more powerful processor, the DG-20 intercom elaborates signals in real time, allowing the use of advanced algorithms for an even more performing digital noise cancelling. Thanks to the digital double filter elaboration with independent settings for driver and co-driver, the DG-20 intercom guarantees a crystal-clear, customized communication. An innovative mobile app allows an advanced, user-friendly setting, while the USB-C port integrates data connection and firmware upgrade, thus guaranteeing a performing, always updated intercom.

DG-20



- Digital active noise cancellation EVO with real time processing
- Dual digital filter with independent settings for Driver and Co-Driver
- Integrated Bluetooth for mobile phone connection (audio link)
- Stilo Mobile App available for intercom user-friendly configuration
- USB-C port for data connection and firmware upgrading
- New easy-to-use ergonomic control panel with a user-friendly interface
- Camera and radio connection



AB0800
DG-20 Intercom
(male helmet connector)



EXTENSION FOR AB0800
YB0317.2 0,45 mt coil incl.
YB0319.2 0,21 mt no coil
YB0307.2 2,5 mt coil incl.



AB0810
DG-20 Intercom
(female helmet connector)



ADAPTER REQUIRED FOR AB0810
AC0204.2
AC0220.2 0,75 mt coil incl.



CG0013 Radio interface for DG-10 intercom
CG0014 Kenwood radio interface for DG-10 intercom YC0001 PTT included
CG0017 Motorola radio interface for DG-10 intercom YC0001 PTT included
YY0030 Isolating Filter for DG-10 intercom (1 IN / 2 OUT RCA)

DG-10

Developed directly from DG - 30: same digital active noise cancellation with simplified functions

- Digital active noise cancellation with sda filter
- Integrated bluetooth for mobile phone connection
- Camera and radio connections
- Helmet connection cables integrated
- The use of YB0317 or YB0319.2 is highly recommended



AB0500
DG-10 Bluetooth




- CG0013 Radio interface for DG-10 intercom
- CG0014 Kenwood radio interface for DG-10 intercom
YC0001 PTT included
- CG0017 Motorola radio interface for DG-10 intercom
YC0001 PTT included
- YY0030 Isolating Filter for DG-10 intercom
(1 IN / 2 OUT RCA)

DG-10 RAID

Designed and developed to resist and maintain high performance in the extreme environments and intensive usage typical of X-Country, Raid and Dirt racing

- Digital active noise cancellation with sda filter
- Improved filters for an optimized noise cancellation
- Camera and radio connections
- Female helmet connection cables integrated
- Voice returns for both driver and co-driver can be adjusted
- The use of AC0204.2 is required



Female connectors

AB0507
DG-10 RAID

Voice returns and microphone gain adjustments

Voice equalization adjustment



Improved filters

WRC DES 9V

The best of Stilo's analogic noise cancellation available thanks to the "Extra Filter". Fed from the car power supply and 9V battery. Bluetooth connection with mobile telephones not available.

- The best analogic Stilo audio quality and the maximum ease of use at a price with no equal
- Camera or Radio connection
- Powered by a 9 volt battery or fed from the car power supply



Extra filter even more effective. Moving the switch to "Extra Filter" the background noises are strongly damped and the co-driver voice's louder to the driver. Since the driver's voice sounds lower to the co-driver, it is recommended that the Extra Filter is set to off during transfers.



AB0214



Camera OUT (low or high level) or radio IN switch

WRC 03

- Specifically designed for roll-bars fitment
- ON/OFF control with the co-driver plug-in
- Separated volumes, 9 V standard power supply and 12 V available option
- Camera connection



AB0200



AB0102

TROPHY 2

- Individual volume controls
- 9 Volt battery or 12 Volt optional adapter
- Camera connection
- ON/OFF led
- High quality metal jacks
- Special design for roll-bar fitting

WIRELESS RANGE



VENTI WRC RANGE

VENTI 4 RANGE

VENTI TROPHY PLUS

ST6R RANGE

ST5R CARBON

WRX RANGE

DG - WRC RANGE







SPORT RANGE

ST5R COMPOSITE

TROPHY RANGE




VENTI TROPHY RALLY



RACING


RANGE



ASTON MARTIN
cognizant
FORMULA ONE™ TEAM
aramco

stilo

OFFICIAL SUPPLIER



OFFICIAL HELMET SUPPLIER

PORSCHE
MOTORSPORT

- Page 30** ST6FN ABP **RANGE**
- Page 31** ST6FN **RANGE**
- Page 32** ST6F **RANGE**
- Page 33** ST6 GT **RANGE**
- Page 34** ST6 GTN **RANGE**
- Page 35** ST5 FN / ST5 GTN **RANGE**
- Page 36** ST5 F / ST5 GT **RANGE**
- Page 37** VENTI / VENTI4 WRC TURISMO **RANGE**
- Page 38** VENTI WRX TURISMO **RANGE**
- Page 40** COMPARISON CHART
- Page 43** ST6 ACCESSORIES
- Page 44** ST5 ACCESSORIES
- Page 45** ST5 / ST6 ACCESSORIES
- Page 48** ELECTRONIC KITS
- Page 49** TRACK COMMUNICATION
- Page 51** HEAD & NECK RESTRAINTS

ST6FN ABP

NEW

ABP: Advanced ballistic protection.
Extended area of protection
in the forehead area

New visor hardware for easy
installation and smoother
movement

Injection molded visor with
NEW HIGH PERFORMANCE
WASHABLE ANTIFOG TREATMENT

Redesigned AIR FLOW ventilation
based on F1 experience

New size mix in 3 shells (plus XS on zero range)
to fit the driver's head in the smaller
and lighter shell possible

Pioneering Visor Locking device system
complying with latest FIA standards
(new 8860-2018 and 8859-2024) both
in full closed and ventilation position

Special comfort padding design
to improve performances
in open cars

Ready for installation of different
communications kits



FIA 8860-2018 ABP



ABP ZERO



ABP 8860



FIA 8859-2024
SNELL SA2020



ABP 8859 CARBON



ST6FN ABP CARBON

► Stilo has been the first manufacturer in the world to homologate the 8859-ABP according to FIA requirements.

ST6FN*

NEW

YEARS
2

NEW CHEEK comfort padding designed for better fitting. Improved cheek stability

Injection molded visor with NEW HIGH PERFORMANCE WASHABLE ANTIFOG TREATMENT

Pioneering Visor Locking device system complying with latest FIA standards (new 8860-2018 and 8859-2024) both in full closed and ventilation position.

Redesigned AIR FLOW ventilation based on F1 experience

Top Ventilation holes to reduce sweat and moisture compatible with ST5

New visor hardware for easy installation and smoother movement

Increased downwards field of view (also compared to ST5)

NEW easy to use padding channels for better installation of the electronics, air and water systems



* ST6F for US only



ZERO 8860



8860



CARBON



COMPOSITE



FIA 8860-2018

FIA 8859-2024
SNELL SA2020

ST6F*

NEW



Top Ventilation holes to reduce sweat and moisture compatible with ST5

Increased downwards field of view (also compared to ST5)

NEW CHEEK comfort padding designed for better fitting. Improved cheek stability

Pioneering Visor Locking device system complying with latest FIA standards (new 8860-2018 and 8859-2024) both in full closed and ventilation position

New size mix in 3 shells (plus XS on zero range) to fit the driver's head in the smaller and lighter shell possible

The lightest composite helmet. New COMPOSITE production process based on Zero technology

Integrated microphone, earplugs connection and radio connection**

Prepared for frontal and side drinking

* ST6GT for US only

** Not for US market

FIA 8860-2018



ZERO 8860



8860



FIA8859-2024
SNELL SA2020



CARBON



COMPOSITE



ST6 GT

NEW

YEARS
2

Top Ventilation holes to reduce sweat and moisture compatible with ST5

Ideal for closed wheel racing

Adjustable Ear Padding for best comfort

Integrated microphone, earplugs connection and radio connection*

* Not for US market



New size mix in 3 shells (plus XS on zero range) to fit the driver's head in the smaller and lighter shell possible

NEW CHEEK comfort padding designed for better fitting. Improved cheek stability

Increased downwards field of view (also compared to ST5)

Prepared for frontal and side drinking



ZERO 8860



8860



CARBON



COMPOSITE



FIA 8860-2018

FIA 8859-2024
SNELL SA2020

ST6 GTN

NEW

Top Ventilation holes to reduce sweat and moisture compatible with ST5

New size mix in 3 shells (plus XS on zero range) to fit the driver's head in the smaller and lighter shell possible.

NEW CHEEK comfort padding designed for better fitting. Improved cheek stability

Increased downwards field of view (also compared to ST5)

Ideal for closed wheel racing

Adjustable Ear Padding for best comfort

Prepared for frontal and side drinking

NEW easy to use padding channels for better installation of the electronics, air and water systems



ZERO 8860



PURO TECH

8860



PURO TECH

CARBON



PURO TECH

COMPOSITE



— Helmet color
— Interior color

FIA 8860-2018

FIA8859-2024
SNELL SA2020

ST5FN*

RACING

YEARS
2

* ST5F for US only

Designed for advanced aerodynamics and adjustable air flow to improve breathability

Adjustable ear paddings for the best comfort

Ready for installation of different radio communication kits

Prepared for frontal drinking system



COMPOSITE



— Helmet color
— Interior color

FIA 8859-2015
SNELL SA2020

ST5 GTN

Designed for advanced aerodynamics and adjustable air flow to improve breathability

Ideal for closed wheel racing

Adjustable short sunscreen. Short visors available as optional

Adjustable ear paddings for the best comfort



COMPOSITE



— Helmet color
— Interior color

FIA 8859-2015
SNELL SA2020

ST5F*

RACING

* ST5GT for US only

Designed for advanced aerodynamics and adjustable air flow to improve breathability

Adjustable ear paddings for the best comfort

Multi function two-step visor locking clasp

Prepared for side integrated or frontal drinking system

Integrated microphone, earplugs connection and radio connection**

** Not for US market



CARBON



COMPOSITE



— Helmet color
— Interior color

FIA 8859-2015
SNELL SA2020

ST5 GT

Designed for advanced aerodynamics and adjustable air flow to improve breathability

Ideal for closed wheel racing

Adjustable short sunscreen. Short visors available as optional

No hanging cables. Earplugs and radio connection cable available as optional.

Integrated microphone, earplugs connection and radio connection**

** Not for US market



CARBON



COMPOSITE




— Helmet color
— Interior color

FIA 8859-2015
SNELL SA2020

VENTI / VENTI4 WRC TURISMO

NEW

5 YEARS



The lightest composite helmet. New COMPOSITE production process based on Zero technology

Ear cups for noise reduction

Integrated plug for intercom or radio connections

Further improved comfort with brand new interior paddings

Female connection for use with earplugs. Adjustable microphone

FIA 8860-2018

VENTI WRC



ZERO 8860 TURISMO



8860 TURISMO



FIA8859-2024
SNELL SA2020

VENTI4 WRC



CARBON TURISMO



COMPOSITE TURISMO



VENTI WRX DIRT TURISMO

RACING


Full face protection certified
and maximum view field

Ear cups for noise reduction


Sealed full visor

Side Air and Drinking System
available

Female connection for use
with earplugs



VENTI WRX



+34% VISOR OPENING
COMPARED TO ST5 RANGE



ST5



DIRT ZERO 8860
TURISMO

PURO
TECH



DIRT CARBON
TURISMO

PURO
TECH

FIA 8860-2018

FIA 8859-2015 SNELL SA2020

VENTI WRX RAID TURISMO

RACING



Top ventilation holes to reduce sweat moisture and allow the use of the short Top Air System

Adjustable peak and short visor available

The whole range in PURO technology

Integrated plug for intercom or radio connections

Adjustable microphone



RAID ZERO 8860
TURISMO



RAID CARBON
TURISMO



FIA 8860-2018

FIA 8859-2015 SNELL SA2020




COMPARISON CHART

ST6FN ABP

VERSION			
	ABP ZERO	ABP 8860	ABP CARBON
	AA0810AG3S Hans	AA0810AG1S Hans	AA0810AG1W Hans
	HOMOLOGATION FIA 8860 - 2018 ABP	HOMOLOGATION FIA 8860 - 2018 ABP	HOMOLOGATION FIA 8859 2024 SNELL SA 2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON
	WEIGHT	WEIGHT	WEIGHT
	SIZE xsmall XS 54, S 55, S 56 small M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand
	COLORS 	COLORS 	COLORS 









*M6 ready. ± 30 g

ST6FN

VERSION				
	ZERO 8860	8860	CARBON	COMPOSITE
	AA0810AG3R Hans	AA0810AG1R Hans	AA0810AG1V Hans	AA0810AG2V Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859 2024 SNELL SA 2020	HOMOLOGATION FIA 8859 2024 SNELL SA 2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL MSP MULTI SANDWICH PRE-FREG FIBER
	WEIGHT VB 1.190 g* small 1.260 g* medium 1.370 g* large 1.450 g*	WEIGHT small 1.360 g* medium 1.480 g* large 1.520 g*	WEIGHT small 1.190 g* medium 1.390 g* large 1.420 g*	WEIGHT small 1.370 g* medium 1.490 g* large 1.600 g*
	SIZE xsmall XS 54, S 55, S 56 small M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand
	COLORS 	COLORS 	COLORS 	COLORS 








*M6 ready. ± 30 g

ST6F

VERSION				
	ZERO 8860	8860	CARBON	COMPOSITE
	AA0800CG3R Hans	AA0800CG1R Hans	AA0800CG1V Hans	AA0800CG2V Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859 2024 SNELL SA 2020	HOMOLOGATION FIA 8859 2024 SNELL SA 2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL MSP MULTI SANDWICH PRE-FREG FIBER
	WEIGHT VB 1.240 g* small 1.310 g* medium 1.420 g* large 1.500 g*	WEIGHT small 1.410 g* medium 1.530 g* large 1.570 g*	WEIGHT small 1.230 g* medium 1.380 g* large 1.470 g*	WEIGHT small 1.420 g* medium 1.540 g* large 1.650 g*
	SIZE xsmall XS 54, S 55, S 56 small M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
	INTERCOM AE0227**	INTERCOM AE0227**	INTERCOM AE0227**	INTERCOM AE0227**
	COLORS 	COLORS 	COLORS 	COLORS 





*M6 ready. ± 30 g **Not for US market

ST6 GT

VERSION				
	ZERO 8860	8860	CARBON	COMPOSITE
	AA0802CG3R Hans	AA0802CG1R Hans	AA0802CG1V Hans	AA0802CG2V Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859-2024 SNELL SA2020	HOMOLOGATION FIA 8859-2024 SNELL SA2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL MSP MULTI SANDWICH PRE-FREG FIBER
	WEIGHT VB 1.170 g* small 1.240 g* medium 1.350 g* large 1.430 g*	WEIGHT small 1.340 g* medium 1.460 g* large 1.500 g*	WEIGHT small 1.160 g* medium 1.310 g* large 1.400 g*	WEIGHT small 1.350 g* medium 1.470 g* large 1.580 g*
	SIZE xsmall XS 54, S 55, S 56 small M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64
	INTERCOM AE0227**	INTERCOM AE0227**	INTERCOM AE0227**	INTERCOM AE0227**
	COLORS 	COLORS 	COLORS 	COLORS 

*M6 ready. ± 30 g **Not for US market

ST6 GTN



VERSION				
	ZERO 8860	8860	CARBON	COMPOSITE
	AA0812AG3R Hans	AA0812AG1R Hans	AA0812AG1V Hans	AA0812AG2V Hans
	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8860 - 2018	HOMOLOGATION FIA 8859 2024 SNELL SA 2020	HOMOLOGATION FIA 8859 2024 SNELL SA 2020
	MATERIAL HIGH TENSILE CARBON	MATERIAL MEDIUM TENSILE CARBON	MATERIAL NORMAL TENSILE CARBON	MATERIAL MSP MULTI SANDWICH PRE-FREG FIBER
	WEIGHT VB 1.120 g* small 1.190 g* medium 1.300 g* large 1.380 g*	WEIGHT small 1.290 g* medium 1.410 g* large 1.450 g*	WEIGHT small 1.110 g* medium 1.260 g* large 1.350 g*	WEIGHT small 1.300 g* medium 1.420 g* large 1.530 g*
SIZE xsmall XS 54, S 55, S 56 small M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	
INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand	INTERCOM Optional on demand	
COLORS 	COLORS 	COLORS 	COLORS 	

*M6 ready. ± 30 g

ST5FN





VERSION	
	COMPOSITE
	AA0710AG2T Hans
	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL FIBERGLASS KEVLAR MCF MULTI SANDWICH FIBER
	WEIGHT small 1.540 g* large 1.650 g*
SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	
INTERCOM Optional on demand	
COLORS 	

ST5 GTN

VERSION	
	COMPOSITE
	AA0712AG2T Hans
	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL FIBERGLASS KEVLAR MCF MULTI SANDWICH FIBER
	WEIGHT small 1.470 g* large 1.580 g*
SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	
INTERCOM Optional on demand	
COLORS 	

*M6 ready. ± 30 g

ST5F

VERSION		
	CARBON	COMPOSITE
	AA0700CG1Tsz-00CC Hans	AA0700CG2T Hans
	HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MCF MULTI SANDWICH FIBER
	WEIGHT small 1.360 g* large 1.510 g*	WEIGHT small 1.590 g* large 1.700 g*
SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	
INTERCOM AE0211**	INTERCOM AE0211**	
COLORS 	COLORS 	

*Communication kit included, M6 ready. ± 30 g **Not for US market

ST5 GT

VERSION		
	CARBON	COMPOSITE
	AA0702CG1Tsz-00CC Hans	AA0702CG2T Hans
	HOMOLOGATION FIA 8859-2015 SNELL SA2020	HOMOLOGATION FIA 8859-2015 SNELL SA2020
	MATERIAL NORMAL TENSILE CARBON	MATERIAL FIBERGLASS KEVLAR MCF MULTI SANDWICH FIBER
	WEIGHT small 1.290 g* large 1.440 g*	WEIGHT small 1.520 g* large 1.630 g*
SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64	
INTERCOM AE0211**	INTERCOM AE0211**	
COLORS 	COLORS 	

*Communication kit included, M6 ready. ± 30 g **Not for US market

VENTI WRC



VERSION

ZERO 8860 TURISMO

AA0220CG3R Hans

HOMOLOGATION
FIA 8860 - 2018

MATERIAL
HIGH TENSILE
CARBON

WEIGHT
small 1.190 g*
medium 1.220 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61

INTERCOM
AEO227

COLORS

8860 TURISMO

AA0220CG1R Hans

HOMOLOGATION
FIA 8860 - 2018

MATERIAL
MEDIUM TENSILE
CARBON

WEIGHT
small 1.330 g*
medium 1.380 g*
large 1.510 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AEO227

COLORS

VENTI4 WRC



VERSION

CARBON TURISMO

AA0224CG1V Hans

HOMOLOGATION
FIA 8859 2024
SNELL SA 2020

MATERIAL
NORMAL TENSILE
CARBON

WEIGHT
small 1.120 g*
medium 1.260 g*
large 1.360 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AEO227

COLORS

COMPOSITE TURISMO

AA0224CG2V Hans

HOMOLOGATION
FIA 8859 2024
SNELL SA 2020

MATERIAL
MSP MULTI SANDWICH
PRE-PREG FIBER

WEIGHT
small 1.370 g*
medium 1.500 g*
large 1.580 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AEO227

COLORS

*Communication kit included, M6 ready. ± 30 g

*M6 ready. ± 30 g

VENTI WRX DIRT TURISMO



VERSION

DIRT ZERO 8860

AA0230CG3R

HOMOLOGATION
FIA 8860 - 2018

MATERIAL
HIGH TENSILE
CARBON

WEIGHT
small 1.400 g*
medium 1.530 g*
large 1.610 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AEO227**

COLORS

DIRT CARBON

AA0230CG1T

HOMOLOGATION
FIA 8859-2015
SNELL SA2020

MATERIAL
NORMAL TENSILE
CARBON

WEIGHT
small 1.340 g*
medium 1.480 g*
large 1.570 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AEO227**

COLORS

VENTI WRX RAID TURISMO



RAID ZERO 8860

AA0232CG3R

HOMOLOGATION
FIA 8860 - 2018

MATERIAL
HIGH TENSILE
CARBON

WEIGHT
small 1.300 g*
medium 1.430 g*
large 1.510 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AEO227**

COLORS

RAID CARBON

AA0232CG1T

HOMOLOGATION
FIA 8859-2015
SNELL SA2020

MATERIAL
NORMAL TENSILE
CARBON

WEIGHT
small 1.250 g*
medium 1.370 g*
large 1.460 g*

SIZE
small XS 54, S 55,
M 57, L 58
medium L 59, XL 61
large 2XL 63, 3XL 64

INTERCOM
AEO227**

COLORS

*M6 ready. ± 30 g **Not for US market

FULL VISORS

Anti-fog annti-scratch visors.
NEW ANTIFOG TREATMENT
WASHABLE WITH WATER-BASED
PRODUCTS.



YA0905 - YA0905ABP
Clear



YA0906 - YA0906ABP
Smoked medium




YA0907 - YA0907ABP
Smoked dark



YA0908 - YA0908ABP
Silver medium



YA0909 - YA0909ABP
Silver dark



YA0910 - YA0910ABP
Mirror blue medium



YA0911 - YA0911ABP
Mirror blue dark



YA0912 - YA0912ABP
Mirror red medium



YA0913 - YA0913ABP
Mirror red dark



YA0914 - YA0914ABP
Mirror yellow medium



YA0915 - YA0915ABP
Mirror yellow dark



YA0916*
Amber dark



YA0917 - YA0917ABP
Clear double glaze




YA0918*
Yellow double glaze

All visors are available in the
ABP versions for use with
ST6FN ABP helmets.

*Not FIA approved

SHORT VISORS



YA0919 Mirror Blue Dark
YA0920 Mirror Red Dark
YA0921 Mirror Yellow Dark



YA0922 Silver Dark
YA0923 Smoked Dark

GT SUN SCREEN



YA0924

VISOR AND TEAR-OFF TOOL



YY0028

TEAR-OFF AND SUN STRIP STICKER



YA0930-CP
Package [3 tear-off films stuck together],
3 pieces kit. With perimeter seal

YA0929-CP
Package [10 tear-off films stuck together],
3 pieces kit. With perimeter seal

YA0931-CP
Package with 5 single tear-off films

YA0932-CP
Visor sun strip sticker

FULL VISOR LOCKING SYSTEM



YA0925

VISOR WASHERS KIT



YA0890 3 pieces kit

VISORS OR SUNSCREEN FITTING KIT

YA0926 Silver YA0926B Blue
YA0926G Gold YA0926R Red



ST5 ACCESSORIES

FULL VISORS

Anti-fog and anti-scratch visors.
Note: to preserve the applied anti-fog inside treatment, visors should NOT be cleaned with water-based products.



YA0800 - YA0800ABP
Clear



YA0801 - YA0801ABP
Smoked medium



YA0802 - YA0802ABP
Smoked dark



YA0803 - YA0803ABP
Silver medium



YA0804 - YA0804ABP
Silver dark



YA0805 - YA0805ABP
Mirror blue medium



YA0806 - YA0806ABP
Mirror blue dark



YA0807.2 - YA0807ABP.2
Mirror red medium



YA0808.2 - YA0808ABP.2
Mirror red dark



YA0809.2 - YA0809ABP.2
Mirror yellow medium



YA0810.2 - YA0810ABP.2
Mirror yellow dark



YA0813*
Amber dark



YA0814 - YA0814ABP
Clear double glaze



YA0815*
Yellow double glaze



YA0851
Clear no anti-fog

All visors are available in the ABP versions for use with ST5FN ABP helmets.

*Not FIA approved

SHORT VISORS



YA0836 Mirror Blue Dark
YA0837.2 Mirror Red Dark
YA0838.2 Mirror Yellow Dark

YA0854 Silver Dark
YA0891 Smoked Dark

GT SUN SCREEN



YA0816

BREATH DEFLECTOR



YA0873

VISOR AND TEAR-OFF TOOL



YY0028

TEAR-OFF AND SUN STRIP STICKER



YA0820-CP
Package [3 tear-off films stuck together],
3 pieces kit. With perimeter seal

YA0829-CP
Package [10 tear-off films stuck together],
3 pieces kit. With perimeter seal

YA0819
Package with 5 single tear-off films

YA0821
Visor sun strip sticker

FULL VISOR LOCKING SYSTEM



YA0925

VISOR WASHERS KIT



YA0890 3 pieces kit

VISORS OR SUNSCREEN FITTING KIT

YA0817 Silver YA0817B Blue
YA0817G Gold YA0817R Red



AIR INTAKES Available for ST5 / ST6

Designed to bring fresh air into the helmet at speed and extract hot air through the helmet top holes

YA0822



YA0861
Lower profile



BACK SPOILER



ST6 YA0927 / ST5 YA0623
Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)

FRONT SPOILERS ST6



YA0928
Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)

FRONT SPOILERS ST5 only



YA0870 Small YA0823 Large
Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)



INDYCAR AERO KIT ST5 only



YA0674
Stabilizes aerodynamic vibrations at high speed
(position as shown in picture)

AIR SYSTEM KITS The exclusive Stilo **Top Air System** takes fresh air to the driver's head and nose. The Top Air System can be fitted onto ST5 and ST6 Formula and GT models.

SHORT MODULAR TOP AIR KITS



YA0892
Modular short top air for Venti WRC, ST5 and ST6 with main adapter. To be used with YA0895 or YA0896



YA0896
Modular straight fitting with \varnothing 32mm connection. Compatible with Maglock® connector



YA0895
Modular 90° angled fitting with \varnothing 32mm connection. Compatible with Maglock® connector



SHORT TOP AIR KITS



YA0889
Top Air System for Venti WRC, ST5 and ST6 with oval connector



YA0897
Top Air System for Venti WRC, ST5 and ST6 with smaller round connector

MODULAR TOP AIR KITS



YA0893 small shell
YA0894 large shell
Modular top air for ST5 and ST6 with main adapter. To be used with YA0895 or YA0896



YA0896
Modular straight fitting with \varnothing 32mm connection. Compatible with Maglock® connector



YA0895
Modular 90° angled fitting with \varnothing 32mm connection. Compatible with Maglock® connector



TOP AIR KITS



YA0834 small shell
YA0857 large shell
Top Air System for ST5 and ST6 with oval connector



YA0853 small shell
YA0859 large shell
Top Air System for ST5 and ST6 with smaller round connector

ADJUSTABLE TOP AIR KITS The air flow can be directed to the driver's face for a better breathing or for cooling the driver's head.



YA0833 small shell
YA0856 large shell
Adjustable Top Air System for ST5 and ST6 with oval connector



YA0852 small shell
YA0858 large shell
Adjustable Top Air System for ST5 and ST6 with smaller round connector

YA0714
45° cuff for \varnothing 1.5 inches to helmet Top Air oval hose



SIDE AIR KIT




YA0653
Integrated air coupling for \varnothing 20 mm tubes

YA0639
Coupling for YA0653 up to \varnothing 32 mm tubes

INTEGRATED DRINKING SYSTEM



ST6/ST5 is homologated with a drinking system integrated. The silicon tube with bite valve is installed inside the helmet, where a dedicated housing channel in the cheek pads connects it to the shell plug and the female quick coupling installed on the outside.



- YA0600** Inner side of the helmet comprising
- YA0601** Bite valve in silicon rubber with anti-backflow system
- YA0602** Water tube
- YA0603** Male quick coupling
- YA0600.B** same as **YA0600** with longer Water tube
- YA0605** Hydration bag comprising
- YA0604** Female quick coupling

FRONTAL DRINKING SYSTEM

ST6/ST5 are prepared for the frontal installation of the drinking system. Both left and right shell front grids can be opened for the tube to pass through and meet the dedicated passage in the internal chin pad.



HELMET SKIRT ST6 / ST5



YA0830



ADJUSTABLE PEAKS Only for ST5



YA0862 Carbon

YA0863 Zero and 8860


REMOVABLE CUPS



YA0002

YA0016

PEAK FITTING KIT Only for ST5



YA0865 Silver

YA0865G Gold

YA0865B Blue

YA0865R Red

YA0864 ST5 Peak and visor screw kit

SPARE INTERCOM KIT



AE0211 ST5 / ST6

COLOURED POST ANCHORS



AK 1131.12B Blue

AK 1131.12R Red

HELMET KITS

EUROPE

	EAR-BUD	MICROPHONE	RADIO
AE0211	Stilo	Stilo	-
AE0214	Jack 3.5 mm	Stilo	-
AE0219	RCA	MRTC	-
AE0318	Stilo	MRTC	-
AE0332	RCA	Stilo	-

	EAR-BUD	MICROPHONE	RADIO
AE0305	RCA	Stilo	Stilo female nexus 4c
AE0313	RCA	Stilo	Peltor male nexus 4c
AE0314	RCA	MRTC	MRTC male nexus 5c
AE0315	Stilo	Stilo	Stilo female nexus 4c
AE0317	RCA	MRTC	Stilo female nexus 4c
AE0319	Stilo	MRTC	Stilo female nexus 4c
AE0331	Jack 3.5 mm	Stilo	Peltor male nexus 4c
AE0333	Jack 3.5 mm	Stilo	Stilo female nexus 4c
AE0334	Stilo	MRTC	MRTC male nexus 5c
AE0335	RCA	Stilo	Peltor male nexus 4c

USA

	EAR-BUD	MICROPHONE	RADIO
AE0210	Earmuff speakers	Stilo	-
AE0110	Earmuff speakers	Stilo with boom	-
AE0214	Jack 3.5 mm	Stilo	-
AE0216	Earmuff speakers	Gentex with boom	-
AE0217	Jack 3.5 mm	Gentex with boom	-
AE0320	Earmuff speakers and ear-bud jack 3.5 mm	Gentex with boom	-

	EAR-BUD	MICROPHONE	RADIO
AE0309	Jack 3.5 mm	Stilo	IMSA
AE0310	Jack 3.5 mm	Stilo	Nascar
AE0323	Jack 3.5 mm	Gentex with boom	IMSA
AE0324	Jack 3.5 mm	Gentex with boom	Nascar
AE0339	Earmuff speakers with jack 3.5 mm male plug for Raceceiver	-	-

RADIO ADAPTERS



AC0204.2 Common radio
AC0220.2 Common radio (longer ver.)



AC0206.2 MRTC
AC0217.2 MRTC (longer ver.)



AC0212.2 USA IMSA
AC0224.2 USA IMSA (longer ver.)



AC0213.2 Nascar 3C
AC0225.2 Nascar 3C (longer ver.)



EARPLUGS

AE0300 Stilo earplugs
AE0326 RCA earplugs
AE0303 Jack 3,5 mm earplugs
YE0001 Spare foam plugs

MALE PLUGS



EARMUFF SPEAKERS



AE0304 Stilo male plug
AE0325 RCA male plug
AE0336 Jack 3,5 mm male plug

EARPLUG ADAPTERS



AC0221
Earplugs with RCA male plug to Stilo helmets



AC0222
Earplugs with 3,5 mm male plug to Stilo helmets

RADIO CONNECTIONS

RADIO TO HELMET INTERFACE

Wired interface connecting the helmet to a car radio, comprising the interchangeable steering-wheel PTT button. Ready to be used with the radio connection wirings shown here below with part numbers YD0202 to YD0211.

RADIO WIRINGS

The CG0007 helmet interface and the universal track headsets CD0212 connects to the radios through the dedicated radio wirings. Available for the following models:

YD0202 similar to VERTEX Vx-160, Vx-180

YD0203 similar to KENWOOD TK-2140/2180/3140/3180

YD0204 similar to KENWOOD TK-2160/2170/2202/3160/3170/3201/3202

YD0205 similar to MOTOROLA GP300, MOTOROLA CP Series

YD0206 similar to MOTOROLA GP320/340/360/380

YD0207 similar to MOTOROLA GP328

YD0208 similar to MOTOROLA GM350

YD0209 similar to VERTEX Vx-2200

YD0210 Universal

YD0211 ICOM IC-F51

TRACK HEADSETS

Allowing communication with the car from the pit, these headsets come with adjustable earmuffs for noise reduction. Integrated PTT button, flexible micro-holder, noise cancelling microphone. Ready to be used with the radio connection wirings shown here above with part numbers YD0202 to YD0211.

CUSTOMIZED RADIO SYSTEMS

The radio kit is the basic configuration for the communication via radio between one car and the engineer at the box.

The driver will have one radio, the connection wirings to his helmet, a car antenna and the PTT button to decide when to start and stop the communications. The engineer instead will have a portable radio with antenna and belt clip, one headset with a noise cancelling microphone and the connection cable for the portable radio.

The communication can also be extended from one engineer to more people at the box.

Radio kits can be customized upon request to make them suite the Team's different needs.

Contact our customer service at info@stilo.it for enquiries.



TRACK COMMUNICATION

VERBACOM CLUB

How it works

Verbacom offers drivers a cost effective and very efficient car to pit communication system by using mobile phones. The Pit wall phone calls the car phone before the car starts, the car unit is programmed to automatically answer and the phone call is kept open keeping the car and Pit unit continually connected until switched off. The communication between units is always open, the pit crew press the push to talk button on the headset to transmit to the driver, whilst the driver can simply speak without pressing any button thanks to the digital noise cancellation that cancels all background noises. If for any reason the signal is lost and call is dropped, the pit phone automatically calls the car which answers it for the driver. It is as easy as that.

Available versions

CQ0008

- 1 Car kit
- 1 Pit Single Headset



CQ0009

- 1 Car kit
- 1 Pit Single Headset
- 1 Pit Double Headset



CQ0010

- 2 Car kit
- 1 Double Headset



Car kit

The club unit is totally transportable for use in any vehicle or kart. The main Bluetooth unit CG0010 is self-powered and connects to a mobile phone (not included) which is mounted in the car. This unit has volume controls and a visible system status light for the driver, and also an on/off switch. This weighing just 66 gr and measuring 74 x 47 x 15 mm it is extremely small and light.

Helmet wiring YB0307.2 with an extension cable connects into the driver's helmet (AEO300 and AEO315 are required should your helmet have no wiring).



CG0010

YB0307.2

Pit wall kit

Noise reduction headsets are self powered and have either a single or double Bluetooth unit subject to the system you buy. CD0003 and CD0004 connect to a mobile phone (not included) by Bluetooth for communication with the car, or wirelessly to the second pit headset.

CD0003
Pit Single HeadsetCD0004
Pit Double Headset

HANS IV



STILO HANS IV

AF0104 20° sz. S, M, L



YF0035
HANS IV
Shoulder Padding
Kit Black



TETHER KITS

YF0006 All Models - Standard, 18 inch/45 cm
YF0007 All Models - Long, 19 inch/48 cm
YF0005 All Models - Short, 17 inch/42.5 cm
YF0013 All Models - Extra Short, 16 inch/40.5 cm

YF0031 HANS III - Standard, 18 inch/45 cm
YF0032 HANS III - Long, 19 inch/48 cm
YF0033 HANS III - Short, 17 inch/42.5 cm
YF0034 HANS III - Extra Short, 16 inch/40.5 cm

YF0024 HANS Zero Standard, 17 inch/42.5 cm [17"]
YF0025 HANS Zero Short, 16 inch/40.5 cm [16"]
YF0026 HANS Zero Long, 18 inch/45 cm [18"]

YF0020 M6.HAK QR Sliding - Standard 18 inch/45 cm
YF0021 M6.HAK QR Sliding - Long 19 inch/48 cm
YF0022 M6.HAK QR Sliding - Short 17 inch/42.5 cm
YF0023 M6.HAK QR Sliding - Extra Short 16 inch/40.5 cm

FHR - HANS



STILO HANS ZERO

AF0173 30° sz. M



HANS PRO ULTRA LITE

AF0092LITE 20° sz. M, L



HANS III

AF0102 20° sz. M, L and Youth
 AF0103 30° sz. M, L

SPARE SHOULDER PADDING KIT



YF0011 Black
YF0012 Black [Gel]



YF0014 Blue
YF0017 Blue [Gel]



YF0015 Red
YF0018 Red [Gel]



YF0016 Yellow
YF0019 Yellow [Gel]

FHR - HYBRID



HYBRID PRO LITE

AF013 sz. XS, S, M, L, XL
also available for women
and quick release




HYBRID SPORT

AF014 sz. XS, S, M, L, XL
also available for women
and quick release
AF016 sz. 22" - 26" / 26" - 30" for child
also available with quick release



HYBRID S

AF015 sz. XS, S, M, L, XL
also available
for women
and quick
release



1. Measure around chest below pectoral muscles.
2. Measure with driving suit. If not available add 1" to measurement.
3. Take measurement with tape placed against driver with out any slack and with out pulling the tape tight.
4. Once measurement has been determined refer to size charts for device size selection.



BU182B / BU180

Hybrid Sport Buckle



FC45B-XI / FC45BM-XE

Hybrid Pro Lite Buckle



HY.DP

Hybrid Device Pad



HYP - DP

Hybrid Pro Lite - Sport Device Pad




POST ANCHOR KIT FHR

Helmet Attachment (SIMPSON branded)
PA Collar, Pro, for SAH Helmet



QUICK RELEASE ANCHORS FHR

M61 Helmet Anchor Kit



QUICK RELEASE TETHER 2

Hybrid Sport, Hybrid S and Pro Lite M6 Anchor
(Quick Release) Tether set



POST ANCHOR TETHER

Hybrid Sport, Hybrid S and Pro Lite
Post Anchor (HANS) Tether set



Page 55 ST5 CMR CARBON **RANGE**

Page 56 ST5 CMR **RANGE**

Page 57 ST5FN KRT **RANGE**

Page 58 RIB & CHEST PROTECTORS

Page 59 ACCESSORIES

ST5 CMR CARBON

KARTING



100% Made in Italy

World lightest karting helmet

PURO technology

Internals with improved comfort

Multi function two-step visor locking clasp

Weight is 1040 gr for XS, 1120 gr for S shell

Carbon fiber Sandwich composition allows it to be extra light

Extra small shell available for sizes XS54 - S55 - S56

Internal color liners available

Enhanced breathability through front ventilation holes



YELLOW



GREEN



ORANGE



RED



PINK



BLUE

SNELL CMR2016

ST5 CMR

KARTING

Internals with improved comfort

Multi function two-step visor locking clasp

Mandatory for all drivers below 15 years of age

Extra small shell available for sizes XS54 - S55 - S56

WHITE VERSION

MATT BLACK VERSION

Internal colours available with clear white or matt black outer

Design originated from the Formula 1 helmet ST5FN ABP

Enhanced breathability through front ventilation holes

Lightweight construction

* BREATH DEFLECTOR
YA0884

EASY-TO-CLEAN
NECK RING FABRIC



* Optional

SNELL CMR2016

ST5FN KRT

KARTING



Specifically dedicated to Karting from 15 years up

Size mix from XS 54 to 3XL 64

Multi function two-step visor locking clasp

Design originated from the Formula 1 helmet ST5FN ABP

Available in black, blue or red interiors

Shell and internals designed to adjust the air flow and improve breathability

* BREATH DEFLECTOR YA0884



COMPARISON CHART



KRT



RED



BLUE



ST5 CMR CARBON

AA0722AH1P

HOMOLOGATION
SNELL CMR2016

MATERIAL
CARBON COMPOSITE

WEIGHT
extra small 1.040 g ± 30 g
small 1.120 g

SIZE
extra small
XS 54, S 55, S 56
small
M 57, L 59

INTERCOM
Not available

COLORS



ST5 CMR

AA0719AH2P Black
AA0721AH2P White

HOMOLOGATION
SNELL CMR2016

MATERIAL
FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER

WEIGHT
extra small 1.160 g ± 30 g
small 1.250 g

SIZE
extra small
XS 54, S 55, S 56
small
M 57, L 59

INTERCOM
Not available

COLORS



ST5FN KRT

AA0714AH2U White

HOMOLOGATION
SNELL KRT2020

MATERIAL
FIBERGLASS KEVLAR MSF
MULTI SANDWICH FIBER

WEIGHT
small 1.500 g ± 30 g
large 1.650 g

SIZE
small
XS 54, S 55, M 57, L 59
large
L 60, XL 61, 2XL 63, 3XL 64

INTERCOM
Not available

COLORS



SNELL KRT2020

* Optional

Stilo reinvents karting safety products by introducing the innovative and patented Carbon Curva technology in the body protectors series. Flexibility adds up to the well known lightness and high resistance features of carbon fiber. The structure of the device worn by the driver ensures a reduction of the severity of injuries to the chest in the kart seat. Thanks to its exclusive production system, the Stilo rib protector offers the highest comfort to those who wear it. Equipped with adjustable braces for a perfect fitting at all heights and body types, from kids to adults, Stilo Carbon Curva safety devices are 100% made in Italy.

CARBON CURVA 8870




Homologated according to the FIA 8870-2018 (KARTING BODY PROTECTION) regulation. The device includes the 2 following components: Chest protection: it's the part of the device covering the frontal area of the chest of the user - Rib protection: it's the part of the device covering the rib area of the user.

HOW TO CHOOSE YOUR SIZE

To make sure the rib protector performs at best, it is crucial to choose the correct size (see chart below) and to wear it properly.

CARBON CURVA 8870 SIZE CHART

	DRIVER'S HEIGHT	RECOMMENDED CHEST CIRCUMFERENCE
AS0002XS	116 - 134 cm	58 - 68 cm
AS0002S	134 - 152 cm	62 - 72 cm
AS0002S+	134 - 152 cm	67 - 77 cm
AS0002M	152 - 170 cm	72 - 82 cm
AS0002L	170 - 188 cm	85 - 95 cm
AS0002L+	170 - 188 cm	90 - 100 cm
AS0002XL	170 - 188 cm	105 - 115 cm



HOW TO WEAR IT

To make sure the rib protector performs at best, it is crucial to choose the correct size (see chart below) and to wear it properly. The device needs to be worn under the suit and, once the blocking system has been closed, the belts need to be fastened correctly and firmly (see the following images).



CARBON CURVA



These cutting edge protectors result in a flexible fit following and adapting to the drivers' body, protecting them from impacts without limiting movement or breathing.

Available in the following sizes:

- AS0001S small
- AS0001M medium
- AS0001L large

ACCESSORIES

YEARS
25



YY0070 Racegear bag



YY0061 Helmet bag



YY0045 Backpack



YY0046 Multi - equipment dryer



YY0065 Cloth drawstring visor sock



YY0066 Drawstring antiscratch helmet sock



YY0075 Stilo cap



YA0014 Eject system

MINI HELMETS 1:2



The mini helmet COLLECTION is available on WWW.STILO.IT

Page 61 OFFSHORE RANGE

Page 62 INTERCOMS
COMPARISON CHART



Top ventilation holes to reduce sweat and moisture

Adjustable short visor (Optional)

Noise reduction earmuffs with adjustable ear pressure

Integrated microphone and WRC intercom connections

Increased comfort with brand new interior paddings


Integrated speakers

Microphone and boom shaped to enhance voice quality (Open face)

Adjustable microphone position



VENTI4 WRC



VENTI TROPHY



ST6F



ST5F



OFFSHORE VHF

- Fully watertight
- Connection is possible with up to 6 helmets
- Equipped with PTT button and connection to on-board VHF radio
- Integrated Bluetooth available
- Feed available from the boat battery

DB0200 VHF - 2 channels

DB0201 VHF - 4 channels

DB0202 VHF - 6 channels



DB0203 with Bluetooth
VHF - 4 channels

DB0204 with Bluetooth
VHF - 2 channels



COMPARISON CHART

VERSION	DA0224BF2V Hans	DA0112EF2T	DA0802RF2V Hans	DA0702BF2T
	VENTI4 WRC	VENTI TROPHY	ST6F	ST5F
	HOMOLOGATION FIA 8859 - 2024 SNELL SA2020	HOMOLOGATION FIA 8859 - 2015 SNELL SA2020	HOMOLOGATION FIA 8859 - 2024 SNELL SA2020	HOMOLOGATION FIA 8859 - 2015 SNELL SA2020
	MATERIAL MSP MULTI SANDWICH PRE-PREG FIBER	MATERIAL FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER	MATERIAL MSP MULTI SANDWICH PRE-PREG FIBER	MATERIAL FIBERGLASS KEVLAR MSF MULTI SANDWICH FIBER
	WEIGHT small 1.390 g* medium 1.520 g* large 1.600 g*	WEIGHT small 1.490 g* medium 1.550 g* large 1.630 g*	WEIGHT small 1.510 g* medium 1.630 g* large 1.740 g*	WEIGHT small 1.650 g* large 1.770 g*
	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 58 medium L 59, XL 61 large 2XL 63, 3XL 64	SIZE small XS 54, S 55, M 57, L 59 large L 60, XL 61, 2XL 63, 3XL 64
	INTERCOM AE0226 WL and Wired	INTERCOM AE0121 WL and Wired	INTERCOM AE0210	INTERCOM AE0210
	COLORS	COLORS	COLORS	COLORS

*Communication kit included, M6 ready. ± 30 g





Via Domenico Bosatelli 4 • 24069 Cenate Sotto (BG) Italy
Phone +39 035 690 040 • Fax +39 035 691 559
info@stilo.it • stilo.it

Stilo U.S.A.
328 FM 306 • New Braunfels, TX 78130
Phone 800-654-RACE (7223)
stilohelmets.com

 Stilo •  Stilo Official •  Stilo

STILO.IT